

CROWN

WWW.CROWN-TOOLS-EU.COM

PRODUCTS CATALOG

PROFESSIONAL POWER TOOLS AND EQUIPMENT



2024

20 V MAX PLATFORM



HIGH PERFORMANCE BRUSHLESS MOTOR

THE 20 V MAX RANGE INCLUDES NEW TOOLS WITH BRUSHLESS MOTOR WITH ADVANCED TECHNOLOGY THAT GUARANTEES GREATER PERFORMANCE, LONGER LIFE, LIGHTER AND MORE COMPACT TOOLS.

BRUSHLESS

A WIDE RANGE OF CORDLESS PRODUCTS

A CONSTANTLY GROWING RANGE OF OVER 50 MODELS, DESIGNED TO FIT THE MOST DEMANDING APPLICATIONS.

+50 MODELS

THE 4 LEVELS OF ADAPTABILITY ALLOW TO CHOOSE THE TYPE OF BATTERY AND THE DURATION OF USE.

2AH, 4AH, 5AH, 8AH

OUR QUICK CHARGERS ALLOW TO BE ALWAYS OPERATIONAL AND OPTIMIZE YOUR WORK.

2A, 4A, 9A

21700 OPTIMIZED CELLS

THE NEW 21700 PROFESSIONAL LITHIUM BATTERY CELLS HAVE A LOWER IMPEDANCE WHICH GUARANTEES MORE POWER. OUR 20 V MAX BATTERIES HAVE SLOW SELF-DISCHARGE WHICH GUARANTEES LONGER LIFE. THE 20 V MAX BATTERIES HAVE A REDUCED MEMORY EFFECT WHICH GUARANTEES LONGER LIFE CYCLES.

+35%*
CAPACITY

-10%*
WEIGHT

LONG
DURATION

REDUCED
MEMORY EFFECT

*21700 VS 18650 CELL BATTERIES COMPARATIVE.

Hot air gun
CT60001HX



Heavy rotary
CT28001HX
BRUSHLESS



Jig saw
CT25003HX
BRUSHLESS



Circular saw
CT25002-165HX
BRUSHLESS



Sabre saw
CT25007HX



Straight grinder
CT23007HX
BRUSHLESS



Angle grinder
CT23001-125HX
BRUSHLESS



Angle grinder
CT23008-125HX
BRUSHLESS



USB charger
CAU02X





**SCAN THE
QR CODE**

to watch the promo video
on YouTube.



Drill and screwdriver
CT21128HMX
BRUSHLESS



Impact drill and
screwdriver
CT21127HMX
BRUSHLESS



Impact drill and
screwdriver
CT21112HMX
BRUSHLESS



Impact drill and
screwdriver
CT21075HMX



Impact drill and
screwdriver
CT21093HMX
BRUSHLESS



Impact
screwdriver
CT22051HMX
BRUSHLESS



Impact wrench
CT22057HMX
BRUSHLESS




Impact wrench
CT22050HMX
BRUSHLESS



Impact wrench
CT22058HMX
BRUSHLESS



Mixer
CT26012HMX
BRUSHLESS



High-pressure washer
CT63002HMX



Power planer
CT24001HMX



Rotary sander
CT23011HMX



Brad nailer
CT61001HMX



Orbital sander
CT23010HMX



Sprayer
CT29003HMX



Blower
CT29002HMX



Edge trimmer
CT26010HMX
BRUSHLESS



Torch
CT26018HMX



Torch
CT26008HMX



Shears
CT29001HMX
BRUSHLESS



Vacuum cleaner
CT63001HMX



Hedge trimmer
CT29015HMX



Lawn mower
CT29018HMX
BRUSHLESS



Chainsaw
CT29006HMX
BRUSHLESS



Brush cutter
CT29012HMX



Blower
CT29013HMX



CORDLESS DRILL AND SCREWDRIVER
CT21128HMX

- METAL KEYLESS CHUCK
- SPINDLE AUTOMATIC LOCKING
- ROTATIONAL DIRECTION SWITCH
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- 2 MODES (SCREWDRIVING / DRILLING)

ACCESSORI INCLUSI
Belt clip, PH2-6 (50mm) bit.



20VX
NEW

BRUSHLESS

BATTERY COMPATIBILITY	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II)	0-500 / 0-1800 MIN ⁻¹
CHUCK TIGHTENING RANGE	0,8-10 MM
MAX. TORQUE (SOFT / HARD)	27 / 50 NM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	32 MM
MAX. SCREW DIAMETER	10 MM
WEIGHT	0,91 KG

CORDLESS DRILL AND SCREWDRIVER
CT21128HMX-2 IMC

- METAL KEYLESS CHUCK
- SPINDLE AUTOMATIC LOCKING
- ROTATIONAL DIRECTION SWITCH
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- 2 MODES (SCREWDRIVING / DRILLING)

ACCESSORIES INCLUDED
Batteries 2pcs, Charger,
Belt clip, PH2-6 (50mm) bit.



20VX
NEW

BRUSHLESS

BATTERY CAPACITY	2 AH
NO-LOAD SPEED (GEAR I / II)	0-500 / 0-1800 MIN ⁻¹
CHUCK TIGHTENING RANGE	0,8-10 MM
MAX. TORQUE (SOFT / HARD)	27 / 50 NM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	32 MM
MAX. SCREW DIAMETER	10 MM
WEIGHT	1,28 KG

CORDLESS DRILL AND SCREWDRIVER
CT21128HMX IMC

- METAL KEYLESS CHUCK
- SPINDLE AUTOMATIC LOCKING
- ROTATIONAL DIRECTION SWITCH
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- 2 MODES (SCREWDRIVING / DRILLING)

ACCESSORIES INCLUDED
Belt clip, PH2-6 (50mm) bit.



20VX
NEW

BRUSHLESS

BATTERY COMPATIBILITY	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II)	0-500 / 0-1800 MIN ⁻¹
CHUCK TIGHTENING RANGE	0,8-10 MM
MAX. TORQUE (SOFT / HARD)	27 / 50 NM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	32 MM
MAX. SCREW DIAMETER	10 MM
WEIGHT	0,91 KG

CORDLESS IMPACT DRILL AND SCREWDRIVER
CT21075HMX-2 BMC

- STEP SPEED SELECTION
- SPINDLE AUTOMATIC LOCKING
- METAL KEYLESS CHUCK
- STEP SPEED SELECTION
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- 3 MODES (SCREWDRIVING / DRILLING / IMPACT DRILLING)

ACCESSORIES INCLUDED
Additional handle, Depth stop, Belt
clip, Batteries 2 pcs, Charger.



20VX

BATTERY CAPACITY	2 AH
NO-LOAD SPEED (GEAR I / II)	0-400 / 0-1500 MIN ⁻¹
IMPACT RATE (GEAR I / II)	0-6000 / 0-22500 MIN ⁻¹
MAX. TORQUE (SOFT / HARD)	45 / 55 NM
CHUCK TIGHTENING RANGE	1,5-13 MM
DRILLING OUTPUT IN CONCRETE	16 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	40 MM
WEIGHT	1,62 KG

CORDLESS IMPACT DRILL AND SCREWDRIVER
CT21075HMX-4 BMC

- STEP SPEED SELECTION
- SPINDLE AUTOMATIC LOCKING
- METAL KEYLESS CHUCK
- STEP SPEED SELECTION
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- 3 MODES (SCREWDRIVING / DRILLING / IMPACT DRILLING)

ACCESSORIES INCLUDED
Additional handle, Depth stop, Belt
clip, Batteries 2 pcs, Charger.



20VX

BATTERY CAPACITY	4 AH
NO-LOAD SPEED (GEAR I / II)	0-400 / 0-1500 MIN ⁻¹
IMPACT RATE (GEAR I / II)	0-6000 / 0-22500 MIN ⁻¹
MAX. TORQUE (SOFT / HARD)	45 / 55 NM
CHUCK TIGHTENING RANGE	1,5-13 MM
DRILLING OUTPUT IN CONCRETE	16 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	40 MM
WEIGHT	1,88 KG



CORDLESS IMPACT DRILL AND SCREWDRIVER

CT21093HMX

• BRUSHLESS MOTOR

• STEP SPEED SELECTION

• REVERSE FUNCTION

• METAL KEYLESS CHUCK

• ELECTRONIC SPEED ADJUSTMENT

• VARIABLE TORQUE

• 3 MODES (SCREWDRIVING / DRILLING / IMPACT DRILLING)

ACCESSORIES INCLUDED

Additional handle, Depth stop, Belt clip.

75NM
TORQUE



20VX

PROFESSIONAL

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II)	0-500 / 0-2000 MIN ⁻¹
IMPACT RATE (GEAR I / II)	0-7500 / 0-30000 MIN ⁻¹
CHUCK TIGHTENING RANGE	1,5-13 MM
MAX. TORQUE (SOFT/HARD)	50 / 75 NM
DRILLING OUTPUT IN CONCRETE	16 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	40 MM
WEIGHT	1,39 KG

CORDLESS IMPACT DRILL AND SCREWDRIVER

CT21127HMX

• BRUSHLESS MOTOR

• STEP SPEED SELECTION

• REVERSE FUNCTION

• 3 MODES (SCREWDRIVING / DRILLING / IMPACT DRILLING)

• METAL KEYLESS CHUCK

• ELECTRONIC SPEED ADJUSTMENT

• VARIABLE TORQUE

ACCESSORIES INCLUDED

Belt clip, PH2-6 (50mm) bit, Additional handle.

100NM
TORQUE



20VX

PROFESSIONAL

NEW

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II)	0-500/0-2100 MIN ⁻¹
IMPACT RATE (GEAR I / II)	0-7500/0-32000 MIN ⁻¹
CHUCK TIGHTENING RANGE	1,5-13 MM
MAX. TORQUE (SOFT/HARD)	50 / 100 NM
DRILLING OUTPUT IN CONCRETE	12 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	38 MM
WEIGHT	1,49 KG

CORDLESS IMPACT DRILL AND SCREWDRIVER

CT21127HMX IMC

• BRUSHLESS MOTOR

• STEP SPEED SELECTION

• REVERSE FUNCTION

• 3 MODES (SCREWDRIVING / DRILLING / IMPACT DRILLING)

• METAL KEYLESS CHUCK

• ELECTRONIC SPEED ADJUSTMENT

• VARIABLE TORQUE

ACCESSORIES INCLUDED

Belt clip, PH2-6 (50mm) bit, Additional handle.

100NM
TORQUE



20VX

PROFESSIONAL

NEW

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II)	0-500/0-2100 MIN ⁻¹
IMPACT RATE (GEAR I / II)	0-7500/0-32000 MIN ⁻¹
CHUCK TIGHTENING RANGE	1,5-13 MM
MAX. TORQUE (SOFT/HARD)	50 / 100 NM
DRILLING OUTPUT IN CONCRETE	12 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	38 MM
WEIGHT	1,49 KG

CORDLESS IMPACT DRILL AND SCREWDRIVER

CT21093HMX-4 BMC

• BRUSHLESS MOTOR

• STEP SPEED SELECTION

• REVERSE FUNCTION

• METAL KEYLESS CHUCK

• ELECTRONIC SPEED ADJUSTMENT

• VARIABLE TORQUE

• 3 MODES (SCREWDRIVING / DRILLING/ IMPACT DRILLING)

ACCESSORIES INCLUDED

Batteries 2 pcs, Charger, Additional handle, Depth stop, Belt clip,Screwdriver bit (double head).

75NM
TORQUE



20VX

PROFESSIONAL

BRUSHLESS

BATTERY CAPACITY	4 AH
NO-LOAD SPEED (GEAR I / II)	0-500 / 0-2000 MIN ⁻¹
IMPACT RATE (GEAR I / II)	0-7500 / 0-30000 MIN ⁻¹
CHUCK TIGHTENING RANGE	1,5-13 MM
MAX. TORQUE (SOFT/HARD)	50 / 75 NM
DRILLING OUTPUT IN CONCRETE	16 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	40 MM
WEIGHT	2,05 KG

CORDLESS IMPACT DRILL AND SCREWDRIVER

CT21127HMX-5 IMC

• BRUSHLESS MOTOR

• STEP SPEED SELECTION

• REVERSE FUNCTION

• 3 MODES (SCREWDRIVING / DRILLING / IMPACT DRILLING)

• METAL KEYLESS CHUCK

• ELECTRONIC SPEED ADJUSTMENT

• VARIABLE TORQUE

ACCESSORIES INCLUDED

Batteries 2pcs, Charger, Belt clip, PH2-6 (50mm) bit, Additional handle.

100NM
TORQUE



20VX

PROFESSIONAL

NEW

BRUSHLESS

BATTERY CAPACITY	5 AH
NO-LOAD SPEED (GEAR I / II)	0-500/0-2100 MIN ⁻¹
IMPACT RATE (GEAR I / II)	0-7500/0-32000 MIN ⁻¹
CHUCK TIGHTENING RANGE	1,5-13 MM
MAX. TORQUE (SOFT/HARD)	50 / 100 NM
DRILLING OUTPUT IN CONCRETE	12 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	38 MM
WEIGHT	2,18 KG

CORDLESS IMPACT DRILL AND SCREWDRIVER
CT21112HMX

- BRUSHLESS MOTOR
- STEP SPEED SELECTION
- REVERSE FUNCTION
- METAL KEYLESS CHUCK
- 3 MODES (SCREWDRIVING / DRILLING / IMPACT DRILLING)
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE

ACCESSORIES INCLUDED
Belt clip, PH2-6 (50mm) bit,
Additional handle.

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II)	0-500/0-2000 MIN ⁻¹
IMPACT RATE (GEAR I / II)	0-7500/0-32000 MIN ⁻¹
CHUCK TIGHTENING RANGE	1,5-13 MM
MAX. TORQUE (SOFT/HARD)	60 / 120 NM
DRILLING OUTPUT IN CONCRETE	13 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	38 MM
WEIGHT	1,59 KG



20VX
NEW

CORDLESS IMPACT DRILL AND SCREWDRIVER
CT21112HMX-5 IMC

- BRUSHLESS MOTOR
- STEP SPEED SELECTION
- REVERSE FUNCTION
- METAL KEYLESS CHUCK
- 3 MODES (SCREWDRIVING / DRILLING / IMPACT DRILLING)
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE

ACCESSORIES INCLUDED
Batteries 2pcs, Charger,
Belt clip, PH2-6 (50mm) bit,
Additional handle.

BRUSHLESS



20VX
NEW

CORDLESS IMPACT DRILL AND SCREWDRIVER
CT21112HMX IMC

- BRUSHLESS MOTOR
- STEP SPEED SELECTION
- REVERSE FUNCTION
- METAL KEYLESS CHUCK
- 3 MODES (SCREWDRIVING / DRILLING / IMPACT DRILLING)
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE

ACCESSORIES INCLUDED
Belt clip, PH2-6 (50mm) bit,
Additional handle.

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II)	0-500/0-2000 MIN ⁻¹
IMPACT RATE (GEAR I / II)	0-7500/0-32000 MIN ⁻¹
CHUCK TIGHTENING RANGE	1,5-13 MM
MAX. TORQUE (SOFT/HARD)	60 / 120 NM
DRILLING OUTPUT IN CONCRETE	13 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	38 MM
WEIGHT	1,59 KG



20VX
NEW

BRUSHLESS

BATTERY CAPACITY	5 AH
NO-LOAD SPEED (GEAR I / II)	0-500/0-2000 MIN ⁻¹
IMPACT RATE (GEAR I / II)	0-7500/0-32000 MIN ⁻¹
CHUCK TIGHTENING RANGE	1,5-13 MM
MAX. TORQUE (SOFT/HARD)	60 / 120 NM
DRILLING OUTPUT IN CONCRETE	13 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	38 MM
WEIGHT	2,28 KG

CORDLESS IMPACT SCREWDRIVER
CT22051HX

- BRUSHLESS MOTOR
- 1/4" HEX TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP

ACCESSORIES INCLUDED
Belt clip

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II / III)	0-1500 / 0-2000 / 0-2500 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1800 / 0-2700 / 0-3300 MIN ⁻¹
TOOL HOLDER	1/4" HEX
MAX. TORQUE	280 NM
MAX. BOLT / NUT DIAMETER	M22
WEIGHT	1,23 KG



20VX
NEW

CORDLESS IMPACT SCREWDRIVER
CT22051HX IMC

- BRUSHLESS MOTOR
- 1/4" HEX TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP

ACCESSORIES INCLUDED
Belt clip

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II / III)	0-1500 / 0-2000 / 0-2500 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1800 / 0-2700 / 0-3300 MIN ⁻¹
TOOL HOLDER	1/4" HEX
MAX. TORQUE	280 NM
MAX. BOLT / NUT DIAMETER	M22
WEIGHT	1,23 KG



20VX
NEW

CORDLESS IMPACT SCREWDRIVER
CT2205 1HX-5 IMC

- BRUSHLESS MOTOR
- 1/4" HEX TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP

ACCESSORIES INCLUDED
Batteries 2pcs, Charger,
Belt clip.



BRUSHLESS

BATTERY CAPACITY	5 AH
NO-LOAD SPEED (GEAR I / II / III)	0-1500 / 0-2000 / 0-2500 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1800 / 0-2700 / 0-3300 MIN ⁻¹
TOOL HOLDER	1/4" HEX
MAX. TORQUE	280 NM
MAX. BOLT / NUT DIAMETER	M22
WEIGHT	1,92 KG

CORDLESS IMPACT WRENCH
CT22050HX-5 IMC

- BRUSHLESS MOTOR
- 1/2" SQUARE TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP

ACCESSORIES INCLUDED
Batteries 2pcs, Charger,
Pin and spring, Belt clip.



BRUSHLESS

BATTERY CAPACITY	5 AH
NO-LOAD SPEED (GEAR I / II / III)	0-1500/ 0-1900 / 0-2300 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1800 / 0-2500 / 0-3100 MIN ⁻¹
TOOL HOLDER	1/2" SQUARE
MAX. TORQUE	350 NM
MAX. BOLT / NUT DIAMETER	M22
WEIGHT	1,92 KG

CORDLESS IMPACT WRENCH
CT22050HX

- BRUSHLESS MOTOR
- 1/2" SQUARE TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP

ACCESSORIES INCLUDED
Pin and spring, Belt clip.



BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II / III)	0-1500/ 0-1900 / 0-2300 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1800 / 0-2500 / 0-3100 MIN ⁻¹
TOOL HOLDER	1/2" SQUARE
MAX. TORQUE	350 NM
MAX. BOLT / NUT DIAMETER	M22
WEIGHT	1,23 KG

CORDLESS IMPACT WRENCH
CT22050HX IMC

- BRUSHLESS MOTOR
- 1/2" SQUARE TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP

ACCESSORIES INCLUDED
Pin and spring, Belt clip.



BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II / III)	0-1500/ 0-1900 / 0-2300 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1800 / 0-2500 / 0-3100 MIN ⁻¹
TOOL HOLDER	1/2" SQUARE
MAX. TORQUE	350 NM
MAX. BOLT / NUT DIAMETER	M22
WEIGHT	1,23 KG

CORDLESS IMPACT WRENCH
CT22057HX

- BRUSHLESS MOTOR
- 1/2" SQUARE TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP

ACCESSORIES INCLUDED
Belt clip.



BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II / III)	0-1200 / 0-1500 / 0-1900 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1700 / 2100 / 2400 MIN ⁻¹
TOOL HOLDER	1/2" SQUARE
MAX. TORQUE (SCREW / UNSCREW)	400 - 550 - 600 / 900 NM
MAX. BOLT / NUT DIAMETER	M28
WEIGHT	1,8 KG

CORDLESS IMPACT WRENCH
CT22057HX IMC

- BRUSHLESS MOTOR
- 1/2" SQUARE TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP

ACCESSORIES INCLUDED
Belt clip.



20VX
NEW

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II / III)	0-1200 / 0-1500 / 0-1900 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1700 / 2100 / 2400 MIN ⁻¹
TOOL HOLDER	1/2" SQUARE
MAX. TORQUE (SCREW / UNSCREW)	400 - 550 - 600 / 900 NM
MAX. BOLT / NUT DIAMETER	M28
WEIGHT	1,8 KG

CORDLESS IMPACT WRENCH
CT22057HX-5 IMC

- BRUSHLESS MOTOR
- 1/2" SQUARE TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP

ACCESSORIES INCLUDED
Batteries 2pcs, Charger,
Belt clip.



20VX
NEW

BRUSHLESS

BATTERY CAPACITY	5 AH
NO-LOAD SPEED (GEAR I / II / III)	0-1200 / 0-1500 / 0-1900 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1700 / 2100 / 2400 MIN ⁻¹
TOOL HOLDER	1/2" SQUARE
MAX. TORQUE (SCREW / UNSCREW)	500 - 550 - 600 / 1000 NM
MAX. BOLT / NUT DIAMETER	M28
WEIGHT	2,49 KG

CORDLESS IMPACT WRENCH
CT22058HX

- BRUSHLESS MOTOR
- 3/4" SQUARE TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP



20VX
NEW

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II / III)	0-900 / 0-1200 / 0-1500 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1800 / 2200 / 2800 MIN ⁻¹
TOOL HOLDER	3/4" SQUARE
MAX. TORQUE (SCREW / UNSCREW)	600 - 800 - 1000 / 1600 NM
MAX. BOLT / NUT DIAMETER	M30
WEIGHT	3 KG

CORDLESS IMPACT WRENCH
CT22058HX IMC

- BRUSHLESS MOTOR
- 3/4" SQUARE TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP



20VX
NEW

BRUSHLESS

BATTERY CAPACITY	5 AH
NO-LOAD SPEED (GEAR I / II / III)	0-900 / 0-1200 / 0-1500 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1800 / 2200 / 2800 MIN ⁻¹
TOOL HOLDER	3/4" SQUARE
MAX. TORQUE (SCREW / UNSCREW)	600 - 800 - 1000 / 1600 NM
MAX. BOLT / NUT DIAMETER	M30
WEIGHT	3,69 KG

CORDLESS IMPACT WRENCH
CT22058HX IMC

- BRUSHLESS MOTOR
- 3/4" SQUARE TOOL HOLDER
- ELECTRONIC SPEED ADJUSTMENT
- VARIABLE TORQUE
- REVERSE FUNCTION
- INTEGRATED LED LIGHT
- SOFT GRIP



20VX
NEW

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II / III)	0-900 / 0-1200 / 0-1500 MIN ⁻¹
IMPACT RATE (GEAR I / II / III)	0-1800 / 2200 / 2800 MIN ⁻¹
TOOL HOLDER	3/4" SQUARE
MAX. TORQUE (SCREW / UNSCREW)	600 - 800 - 1000 / 1600 NM
MAX. BOLT / NUT DIAMETER	M30
WEIGHT	3 KG

CORDLESS HEAVY ROTARY HAMMER
CT28001HX BMC

- BRUSHLESS MOTOR
- SDS-PLUS CHUCK
- ROTATION SPEED STABILIZATION SYSTEM
- VARIO-LOCK MODE
- ANTI-VIBRATIONS SYSTEM
- SAFETY CLUTCH

ACCESSORIES INCLUDED
Depth stop, Additional handle.

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	0-1400 MIN ⁻¹
IMPACT RATE	0-4500 MIN ⁻¹
SINGLE IMPACT POWER	2,3 J
DRILLING OUTPUT IN CONCRETE	18 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	20 MM
WEIGHT	2,42 KG

20VX



CORDLESS HEAVY ROTARY HAMMER
CT28001HX-4 BMC

- BRUSHLESS MOTOR
- SDS-PLUS CHUCK
- ROTATION SPEED STABILIZATION SYSTEM
- VARIO-LOCK MODE
- ANTI-VIBRATIONS SYSTEM
- SAFETY CLUTCH

ACCESSORIES INCLUDED
Depth stop,
Additional handle,
Batteries 2 pcs, Charger.

BRUSHLESS

BATTERY CAPACITY	4 AH
NO-LOAD SPEED	0-1400 MIN ⁻¹
IMPACT RATE	0-4500 MIN ⁻¹
SINGLE IMPACT POWER	2,3 J
DRILLING OUTPUT IN CONCRETE	18 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	20 MM
WEIGHT	3,1 KG

20VX



CORDLESS HEAVY ROTARY HAMMER
CT28001HX IMC

- BRUSHLESS MOTOR
- SDS-PLUS CHUCK
- ROTATION SPEED STABILIZATION SYSTEM
- VARIO-LOCK MODE
- ANTI-VIBRATIONS SYSTEM
- SAFETY CLUTCH

ACCESSORIES INCLUDED
Depth stop,
Additional handle.

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	0-1400 MIN ⁻¹
IMPACT RATE	0-4500 MIN ⁻¹
SINGLE IMPACT POWER	2,3 J
DRILLING OUTPUT IN CONCRETE	18 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	20 MM
WEIGHT	2,42 KG

20VX

NEW



CORDLESS HEAVY ROTARY HAMMER
CT28001HX-5 IMC

- BRUSHLESS MOTOR
- SDS-PLUS CHUCK
- ROTATION SPEED STABILIZATION SYSTEM
- VARIO-LOCK MODE
- ANTI-VIBRATIONS SYSTEM
- SAFETY CLUTCH

ACCESSORIES INCLUDED
Depth stop, Additional handle,
Batteries 2 pcs, Charger.

BRUSHLESS

BATTERY CAPACITY	5 AH
NO-LOAD SPEED	0-1400 MIN ⁻¹
IMPACT RATE	0-4500 MIN ⁻¹
SINGLE IMPACT POWER	2,3 J

20VX

NEW



DRILLING OUTPUT IN CONCRETE	18 MM
DRILLING OUTPUT IN STEEL	13 MM
DRILLING OUTPUT IN WOOD	20 MM
WEIGHT	3,11 KG

CORDLESS ANGLE GRINDER
CT23001-125HX BMC

- BRUSHLESS MOTOR
- SOFT START
- RESTART PROTECTION
- TWO-POSITION ON / OFF SWITCH
- SAFETY CLUTCH
- QUICK ADJUSTABLE PROTECTIVE CASING

ACCESSORIES INCLUDED
Additional handle, Flange wrench,
Protective casing.

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
RATED SPEED	8000 MIN ⁻¹
MAX. Ø OF CUTTING DISC	125 MM
MAX. Ø OF GRINDING DISC	125 MM
MAX. Ø OF RUBBER SANDING PLATE	125 MM
MAX. Ø OF CIRCULAR WIRE BRUSH	75 MM
MAX. Ø OF CUP WIRE BRUSH	75 MM
SPINDLE THREAD	M14
WEIGHT	1,83 KG



CORDLESS ANGLE GRINDER
CT23001-125HX IMC

- BRUSHLESS MOTOR
- SOFT START
- RESTART PROTECTION
- TWO-POSITION ON / OFF SWITCH
- SAFETY CLUTCH
- QUICK ADJUSTABLE PROTECTIVE CASING

ACCESSORIES INCLUDED
Additional handle, Flange wrench,
Protective casing.

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
RATED SPEED	8000 MIN ⁻¹
MAX. Ø OF CUTTING DISC	125 MM
MAX. Ø OF GRINDING DISC	125 MM
MAX. Ø OF RUBBER SANDING PLATE	125 MM
MAX. Ø OF CIRCULAR WIRE BRUSH	75 MM
MAX. Ø OF CUP WIRE BRUSH	75 MM
SPINDLE THREAD	M14
WEIGHT	1,83 KG



NEW



CORDLESS ANGLE GRINDER
CT23001-125HX-5 IMC

- BRUSHLESS MOTOR
- SOFT START
- RESTART PROTECTION
- TWO-POSITION ON / OFF SWITCH
- SAFETY CLUTCH
- QUICK ADJUSTABLE PROTECTIVE CASING

ACCESSORIES INCLUDED
Additional handle, Flange wrench,
Protective casing.

BRUSHLESS

BATTERY CAPACITY	5 AH
RATED SPEED	8000 MIN ⁻¹
MAX. Ø OF CUTTING DISC	125 MM
MAX. Ø OF GRINDING DISC	125 MM
MAX. Ø OF RUBBER SANDING PLATE	125 MM



NEW



MAX. Ø OF CIRCULAR WIRE BRUSH	75 MM
MAX. Ø OF CUP WIRE BRUSH	75 MM
SPINDLE THREAD	M14
WEIGHT	2,52 KG

CORDLESS ANGLE GRINDER
CT23008-125HX

- BRUSHLESS MOTOR
- SOFT START
- RESTART PROTECTION
- TWO-POSITION ON / OFF SWITCH
- SAFETY CLUTCH

ACCESSORIES INCLUDED
Additional handle, Flange wrench,
Protective casing.

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
RATED SPEED	8500 MIN ⁻¹
MAX. Ø OF CUTTING DISC	125 MM
MAX. Ø OF GRINDING DISC	125 MM
MAX. Ø OF RUBBER SANDING PLATE	125 MM
MAX. Ø OF CIRCULAR WIRE BRUSH	75 MM
MAX. Ø OF CUP WIRE BRUSH	75 MM
MAX. BORE Ø	22,23 MM
SPINDLE THREAD	M14
WEIGHT	1,9 KG



CORDLESS ANGLE GRINDER
CT23008-125HX IMC

- BRUSHLESS MOTOR
- VARIABLE SPEED
- SOFT START
- RESTART PROTECTION
- TWO-POSITION ON / OFF SWITCH
- SAFETY CLUTCH

ACCESSORIES INCLUDED
Additional handle, Flange wrench,
Protective casing.

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
RATED SPEED	3000-8500 MIN ⁻¹
MAX. Ø OF CUTTING DISC	125 MM
MAX. Ø OF GRINDING DISC	125 MM
MAX. Ø OF RUBBER SANDING PLATE	125 MM
MAX. Ø OF CIRCULAR WIRE BRUSH	75 MM
MAX. Ø OF CUP WIRE BRUSH	75 MM
MAX. BORE Ø	22,23 MM
SPINDLE THREAD	M14
WEIGHT	1,9 KG



NEW



CORDLESS STRAIGHT GRINDER
CT23007HX

- BRUSHLESS MOTOR
- VARIABLE SPEED
- ROTATION SPEED STABILIZATION SYSTEM
- SOFT START
- RESTART PROTECTION
- TWO-POSITION ON / OFF SWITCH
- OVERHEATING AND OVERLOAD PROTECTION SYSTEM
- SOFT GRIP

ACCESSORIES INCLUDED
Wrenches 2 pcs



BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	7000-26000 MIN ⁻¹
NUMBER OF RPM STAGES	6
COLLET DIAMETER	6 MM
WEIGHT	1,35 KG

CORDLESS JIGSAW
CT25003HX BMC

- BRUSHLESS MOTOR
- SAW BLADE EASY CHANGE
- 4-STAGE PENDULUM
- STROKE RATE REGULATION
- BREAK RUNDOWN
- METAL BASE PLATE

ACCESSORIES INCLUDED
Allen key, Plastic overlay.



BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
STROKE RATE AT NO-LOAD	700-3000 MIN ⁻¹
LENGTH OF STROKE OF THE SAW BLADE	26 MM
MAX. ANGULARITY OF THE BODY (LEFT / RIGHT)	45° / 45°
MAX. CUTTING ABILITY IN WOOD	85 MM
MAX. CUTTING ABILITY IN ALUMINUM	20 MM
MAX. CUTTING ABILITY IN STEEL	10 MM
WEIGHT	2,12 KG

CORDLESS SABRE SAW
CT25007HX

- ELECTRONIC SPEED ADJUSTMENT
- SAW BLADE EASY CHANGE
- ROTATING REAR HANDLE
- REAR D-HANDLE
- SOFT GRIP

ACCESSORIES INCLUDED
Saw blade.



COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
STROKE RATE AT NO-LOAD	0-2800 MIN ⁻¹
STROKE LENGTH	26 MM
CUTTING ABILITY IN WOOD	115 MM
CUTTING ABILITY IN STEEL (PROFILE / PIPE)	5 / 60 MM
WEIGHT	1,92 KG

POWERED BY 20VX

CORDLESS JIGSAW
CT25003HX

- BRUSHLESS MOTOR
- SAW BLADE EASY CHANGE
- 4-STAGE PENDULUM
- STROKE RATE REGULATION
- BREAK RUNDOWN
- METAL BASE PLATE

ACCESSORIES INCLUDED
Allen key, Plastic overlay.



BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
STROKE RATE AT NO-LOAD	700-3000 MIN ⁻¹
LENGTH OF STROKE OF THE SAW BLADE	26 MM
MAX. ANGULARITY OF THE BODY (LEFT / RIGHT)	45° / 45°
MAX. CUTTING ABILITY IN WOOD	125 MM
MAX. CUTTING ABILITY IN ALUMINUM	20 MM
MAX. CUTTING ABILITY IN STEEL	10 MM
WEIGHT	2,12 KG



CORDLESS CIRCULAR SAW
CT25002-165HX

- BRUSHLESS MOTOR
- SOFT START
- BREAK RUNDOWN
- ALUMINIUM BASE PLATE
- OVERHEATING AND OVERLOAD PROTECTION SYSTEM
- HIGH-TORQUE INDICATOR

ACCESSORIES INCLUDED
Allen key, Parallel guide,
Vacuuming connector piece.



BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	4800 MIN ⁻¹
CIRCULAR SAW BLADE Ø	165 MM
BORE Ø OF CIRCULAR SAW BLADE	20 MM
MAX. THICKNESS OF CIRCULAR SAW BLADE	1,6 MM
MAX. CUTTING DEPTH BY 90°	57 MM
MAX. CUTTING DEPTH BY 45°	41 MM
MAX. CUTTING DEPTH BY 50°	37 MM
WEIGHT	2,92 KG

CORDLESS CIRCULAR SAW
CT25002-165HX BMC

- BRUSHLESS MOTOR
- SOFT START
- BREAK RUNDOWN
- ALUMINIUM BASE PLATE
- OVERHEATING AND OVERLOAD PROTECTION SYSTEM
- HIGH-TORQUE INDICATOR

ACCESSORIES INCLUDED
Allen key, Parallel guide,
Vacuuming connector piece.

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	4800 MIN ⁻¹
CIRCULAR SAW BLADE Ø	165 MM
BORE Ø OF CIRCULAR SAW BLADE	20 MM
MAX. THICKNESS OF CIRCULAR SAW BLADE	1,6 MM
MAX. CUTTING DEPTH BY 90°	57 MM
MAX. CUTTING DEPTH BY 45°	41 MM
MAX. CUTTING DEPTH BY 50°	37 MM
WEIGHT	2,92 KG



20VX

CORDLESS ORBITAL SANDER
CT23010HX

- VELCRO FIXING SYSTEM
- VARIABLE SPEED
- DUST EXTRACTION SYSTEM
- SOFT GRIP

ACCESSORIES INCLUDED
Sanding paper, Dust bag.

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	7000-11000 MIN ⁻¹
NO-LOAD OSCILLATIONS RATE	14000-22000 MIN ⁻¹
ORBITAL Ø	1,6 MM
SANDING PLATE SIZE	100 X 145 MM
WEIGHT	0,96 KG



20VX

NEW

CORDLESS ROTARY SANDER
CT23011HX

- VELCRO FIXING SYSTEM
- VARIABLE SPEED
- DUST EXTRACTION SYSTEM
- SOFT GRIP

ACCESSORIES INCLUDED
Sanding paper, Dust bag,
Tube for dust removal.

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	7000-11000 MIN ⁻¹
NO-LOAD OSCILLATIONS RATE	14000-22000 MIN ⁻¹
ECCENTRICITY	1,25 MM
SANDING PLATE Ø	120 MM
WEIGHT	1,04 KG



20VX

NEW

CORDLESS POWER PLANER
CT24001HX

- SOFT START FUNCTION
- PLANING DEPTH REGULATOR
- V-GROOVE
- REBATING
- SAFETY STOP
- LOCK-OFF FUNCTION
- DUST EXTRACTION SYSTEM
- SOFT GRIP

ACCESSORIES INCLUDED
Dust bag, Allen key, Wrench,
Accessories storage container
Vertical stop, Bracket,
Side stop.

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	16000 MIN ⁻¹
PLANING WIDTH	82 MM
PLANING DEPTH	0-1,5 MM
GROOVING DEPTH	0-9 MM
WEIGHT	2,3 KG



20VX

CORDLESS BRAD NAILER
CT61001HX

- 2 IN 1 U-NAIL / T-NAIL
- ADJUSTABLE IMPACT KNOB
- BELT CLIP
- SOFT GRIP

ACCESSORIES INCLUDED
Staples 500 pcs,
Nails 500 pcs, Plastic tip,
Hexagonal key.

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
LOAD CAPACITY	100 PCS
STAPLES APPLIED	TYPE 600, 18 GAUGE
STAPLE WIDTH / LENGTH	5,7 / 15-22 MM
NAILS APPLIED	TYPE F, 18GAUGE
NAIL WIDTH / LENGTH	2 / 15, 20, 25, 30, 32 MM
WEIGHT	2,43 KG



20VX

CORDLESS ROUTER
CT26010HX

- BRUSHLESS MOTOR
- VARIABLE SPEED
- SPINDLE LOCK
- DEPTH ADJUSTMENT
- DUST EXTRACTION

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	10000-30000 MIN ⁻¹
COLLET INNER Ø	6 / 8MM (1/4" / 3/8")
STROKE OF THE ROUTER BASE	20 MM
WEIGHT	1,34 KG



20VX

CORDLESS MIXER
CT26012HX

- BRUSHLESS MOTOR
- M14 TOOL HOLDER
- 2 SPEED SELECTION
- ELECTRONIC SPEED ADJUSTMENT
- OVERHEAT + OVERLOAD PROTECTION
- QUICK CHARGE
- SOFT GRIP

ACCESSORIES INCLUDED
Wrenches 2 pcs, Mixing paddle, Extension rod.



BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED (GEAR I / II)	0-420 / 0-710 MIN ⁻¹
MAX. STIRRER PADDLE DIAMETER	120 MM
WEIGHT	3,7 KG

CORDLESS BLOWER
CT29002HX

- VARIABLE SPEED
- 2 MODES (BLOWER / VACUUM CLEANER)
- STATIONARY USE
- LOCK-ON FUNCTION
- SOFT GRIP

ACCESSORIES INCLUDED
Nozzle, Dust bag.



COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
MAX. SUCTION	4,5 KPA
MAX.FLOW RATE	63,5 M/S
WEIGHT	0,98 KG

CORDLESS PRESSURE WASHER
CT63002HX

- SELF PRIMING
- ADJUSTABLE STREAM
- LOW PRESSURE ECO MODE
- LOCK-OFF FUNCTION
- TEMPERATURE PROTECTION
- QUICK CHARGER
- SOFT GRIP

ACCESSORIES INCLUDED
Sprayer holder, Tube Quick-release adapter (with valve), Hose, Detergent spray nozzle.



COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
MAX. FEED PRESSURE	0,5 MPA
MIN FLOW RATE	<170 L/H
RATED PRESSURE	1,9 / 2,4 MPA
FLOW RATE	160 / 170 L/H
WEIGHT	1,65 KG



CORDLESS HOT AIR GUN
CT60001HX

- FOLDABLE HOOK
- BURN-FREE DETACH MECHANISM
- INTEGRATED LED LIGHT
- LOCK-OFF FUNCTION
- SOFT GRIP

ACCESSORIES INCLUDED
Flat nozzle, Reflector nozzle, Point nozzle.



COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
MAX. TEMPERATURE	550 C°
MAX. FLOW RATE	220 L/M
WEIGHT	0,8 KG



CORDLESS VACUUM CLEANER
CT63001HX

- DRY SUCTION
- 500 ML CAPACITY
- SOFT GRIP

ACCESSORIES INCLUDED
Rectangular nozzle, Nozzle brush, Crevice nozzle, Extension tube, Universal holder



COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
MAX. SUCTION	3,8 KPA
DUST COLLECTOR CAPABILITY	500 ML
WEIGHT	0,86 KG



CORDLESS WORK LIGHT
CT26008HX

- SWIVEL HEAD
- SOFT GRIP
- BELT CLIP

ACCESSORIES INCLUDED
Belt clip.



COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
LED POWER	3 W
LUMINOUS FLUX	180-250 LM
MAX. TILT ANGLE OF SWIVEL HEAD	270°
LIGHTING DURATION, APPROX. (DEPENDING ON BATTERY CAPACITY):	
- BATTERY 2AH / 4AH	~12 H / ~24 H
WEIGHT	0,42 KG



CORDLESS WORK LIGHT
CT26018HX

- SWIVEL HEAD
- 3-MODE SETTING LIGHT

LED POWER	20 W
LUMINOUS FLUX	1000 / 2000 LM
MAX. TILT ANGLE OF SWIVEL HEAD	360°
COLOUR TEMPERATURE	5700±200 K
LIGHTING DURATION, APPROX. (DEPENDING ON BATTERY CAPACITY):	
- BY 1000 LM (BATTERY 2AH / 4AH)	~170 / 340 MIN
- BY 2000 LM (BATTERY 2AH / 4AH)	~85 / 170 MIN
WEIGHT	1,03 KG



CORDLESS SHEARS
CT29001HX

- BRUSHLESS MOTOR
- 3-STEP ADJUSTMENT
- SAFETY LOCK
- OVERLOAD PROTECTION
- SOFT GRIP

ACCESSORIES INCLUDED
Allen key, Socket wrench, Abrasive bar,
Protective collar.



BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
SHEAR CAPACITY	0-30 MM
MAX SHEAR FORCE	2600 N
WEIGHT	0,82 KG

CORDLESS SHEARS
CT29001HX-2 TB

- BRUSHLESS MOTOR
- 3-STEP ADJUSTMENT
- SAFETY LOCK
- OVERLOAD PROTECTION
- SOFT GRIP

ACCESSORIES INCLUDED
Batteries 2pcs, Allen key,
Socket wrench, Abrasive bar,
Protective collar, Charger



BRUSHLESS

BATTERY CAPACITY	2 AH
SHEAR CAPACITY	0-30 MM
MAX SHEAR FORCE	2600 N
WEIGHT	1,58 KG

CORDLESS CHAINSAW
CT29006HX

- BRUSHLESS MOTOR
- AUTOMATIC CHAIN LUBRICATION
- OREGON BAR AND CHAIN
- SOFT GRIP

ACCESSORIES INCLUDED
Protective guard of the cutting unit,
Multi-purpose wrench



BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
RATED SPEED	4200 MIN ⁻¹
SAW CHAIN SPEED	7,9 M/S
OIL TANK CAPACITY (FOR LUBRICATE THE SAW CHAIN)	115 ML
GUIDE BAR LENGTH	254 MM
SAW CHAIN PARAMETERS(CHAIN PITCH/CHAIN GAUGE)	3/8" / 1/4"
NET WEIGHT (EXCLUDED CUTTING EQUIPMENT)	2,8 KG



CORDLESS HEDGE TRIMMER
CT29015HX

- ANTI-VIBRATIONS HANDLE
- LOCK-OFF FUNCTION
- SOFT GRIP

ACCESSORIES INCLUDED
Blade protective cover.



COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
IDLING SPEED	3000±200 MIN ⁻¹
STROKE RATE AT NO-LOAD	1200 MIN ⁻¹
BLADE LENGHT (FULL)	560 MM
BLADE LENGHT (WORKING)	510 MM
MAX. Ø OF CUT-OFF BRANCHES	14 MM
WEIGHT	1,98 KG

CORDLESS BLOWER
CT29013HX

- ELECTRONIC SPEED



COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	0- 15000 MIN ⁻¹
AIR FLOW RATE	460 M ³ /H
AIR SPEED	140 KM/H
WEIGHT	1,37 KG



CORDLESS BRUSH CUTTER
CT29012HX

- ROTATABLE HEAD
- GUIDE WHEEL
- ADJUSTABLE BAR
- SOFT GRIP



COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
NO-LOAD SPEED	7500 MIN ⁻¹
MOWING AREA WIDTH (CUTTING LINE)	254 / 305 MM
CUTTING LINE DIAMETER	1,6 MM
WEIGHT	1,9 KG

SPARE REEL
CAG-HTX3
3 pcs



COMPATIBILITY	CT29012HX
WIRE DIAMETER	1,6 MM
WIRE LENGTH	4 M

CORDLESS LAWN MOVER
CT29018HX

- BRUSHLESS MOTOR
- FIVE CUTTING HEIGHTS
- SAFETY CUT-OUT
- SOFT GRIP



*batteries and charger not included



Storage compartment
for 2 20 V Max. batteries
(2, 4, 5, 8 Ah)

BRUSHLESS

COMPATIBLES BATTERIES	2 AH, 4 AH, 5 AH, 8 AH
RATED SPEED	2800 / 3400 MIN ⁻¹
CUTTING WIDTH	380 MM
CUTTING HEIGHTS	25 / 39 / 53 / 67 / 80 MM
CAPACITY OF THE GRASS BAG	40 L
WEIGHT	14,67 KG



CHARGING TIME					
		CAC202001X 20 V Max - 2 A	CAC204001X 20 V Max - 4 A	CAC204003X 20 V Max - 4 A	CAC209001X 20 V Max - 9 A
	CAB202013XE 20 V Max - 2 Ah	60 MIN	35 MIN	1 BAT: 35 MIN 2 BAT: 75 MIN	35 MIN
	CAB204014XE 20 V Max - 4 Ah	120 MIN	60 MIN	1 BAT: 60 MIN 2 BAT: 135 MIN	45 MIN
	CAB204015XE 20 V Max - 4 Ah	120 MIN	60 MIN	1 BAT: 60 MIN 2 BAT: 135 MIN	45 MIN
	CAB205014XE 20 V Max - 5 Ah	150 MIN	75 MIN	1 BAT: 75 MIN 2 BAT: 160 MIN	55 MIN
	CAB208016XE CB 20 V Max - 8 Ah	240 MIN	120 MIN	1 BAT: 120 MIN 2 BAT: 250 MIN	50 MIN

BATTERY PACK CAB202013XE

- COMPATIBLES CHARGERS:
- CAC202001X
 - CAC204001X
 - CAC204003X
 - CAC209001X



BATTERY CAPACITY	2 AH
BATTERY CHARGING TIME (CAC209001X)	35 MIN
BATTERY CHARGING TIME (CAC204003X)	1 BAT: 35 / 2 BAT: 75 MIN
BATTERY CHARGING TIME (CAC204001X)	35 MIN
BATTERY CHARGING TIME (CAC202001X)	60 MIN
WEIGHT	0,37 KG

BATTERY PACK CAB204015XE

- COMPATIBLES CHARGERS:
- CAC202001X
 - CAC204001X
 - CAC204003X
 - CAC209001X



BATTERY CAPACITY	4 AH
BATTERY CHARGING TIME (CAC209001X)	45 MIN
BATTERY CHARGING TIME (CAC204003X)	1 BAT: 60 / 2 BAT: 135 MIN
BATTERY CHARGING TIME (CAC204001X)	60 MIN
BATTERY CHARGING TIME (CAC202001X)	120 MIN
WEIGHT	0,56 KG

BATTERY PACK CAB204014XE

- COMPATIBLES CHARGERS:
- CAC202001X
 - CAC204001X
 - CAC204003X
 - CAC209001X



BATTERY CAPACITY	4 AH
BATTERY CHARGING TIME (CAC209001X)	45 MIN
BATTERY CHARGING TIME (CAC204003X)	1 BAT: 60 / 2 BAT: 135 MIN
BATTERY CHARGING TIME (CAC204001X)	60 MIN
BATTERY CHARGING TIME (CAC202001X)	120 MIN
WEIGHT	0,68 KG

BATTERY PACK CAB205014XE

- COMPATIBLES CHARGERS:
- CAC202001X
 - CAC204001X
 - CAC204003X
 - CAC209001X



BATTERY CAPACITY	5 AH
BATTERY CHARGING TIME (CAC209001X)	55 MIN
BATTERY CHARGING TIME (CAC204003X)	1 BAT: 75 / 2 BAT: 160 MIN
BATTERY CHARGING TIME (CAC204001X)	75 MIN
BATTERY CHARGING TIME (CAC202001X)	150 MIN
WEIGHT	0,69 KG

BATTERIA
CAB208016XE CB

CARICABATTERIE COMPATIBILI:

- CAC202001X
- CAC204001X
- CAC204003X
- CAC209001X

8
Ah



BATTERY CAPACITY	8 AH
BATTERY CHARGING TIME (CAC209001X)	50 MIN
BATTERY CHARGING TIME (CAC204003X)	1 BAT: 120 / 2 BAT: 250 MIN
BATTERY CHARGING TIME (CAC204001X)	120 MIN
BATTERY CHARGING TIME (CAC202001X)	240 MIN
WEIGHT	1 KG

BATTERY CHARGER
CAC204001X

COMPATIBLES BATTERIES:

- CAB202013XE
- CAB204014XE
- CAB204015XE
- CAB205014XE
- CAB208016XE



RATED POWER	100 W
OUTPUT VOLTAGE	18 - 20 V MAX.
AMPERAGE AT VOLTAGE 220-230 V	4 A
COMPARISON OF CHARGING TIMES	SEE TABLE PAGE 22
WEIGHT	0,5 KG
CAB202013XE (2 AH) CHARGING TIME	35 MIN
CAB204014XE (4 AH) CHARGING TIME	60 MIN
CAB204015XE (4 AH) CHARGING TIME	60 MIN
CAB205014XE (5 AH) CHARGING TIME	75 MIN
CAB208016XE (8 AH) CHARGING TIME	120 MIN

BATTERY CHARGER
CAC209001X

COMPATIBLES BATTERIES:

- CAB202013XE
- CAB204014XE
- CAB204015XE
- CAB205014XE
- CAB208016XE



RATED POWER	250 W
OUTPUT VOLTAGE	18 - 20 V MAX.
AMPERAGE AT VOLTAGE 220-230 V	9 A
COMPARISON OF CHARGING TIMES	SEE TABLE PAGE 22
WEIGHT	0,93 KG
CAB202013XE (2 AH) CHARGING TIME	35 MIN
CAB204014XE (4 AH) CHARGING TIME	45 MIN
CAB204015XE (4 AH) CHARGING TIME	45 MIN
CAB205014XE (5 AH) CHARGING TIME	55 MIN
CAB208016XE (8 AH) CHARGING TIME	50 MIN



BATTERY CHARGER
CAC202001X

COMPATIBLES BATTERIES:

- CAB202013XE
- CAB204014XE
- CAB204015XE
- CAB205014XE
- CAB208016XE



RATED POWER	55 W
OUTPUT VOLTAGE	18 - 20 V MAX.
AMPERAGE AT VOLTAGE 220-230 V	2 A
COMPARISON OF CHARGING TIMES	SEE TABLE PAGE 22
WEIGHT	0,39 KG
CAB202013XE (2 AH) CHARGING TIME	60 MIN
CAB204014XE (4 AH) CHARGING TIME	120 MIN
CAB204015XE (4 AH) CHARGING TIME	120 MIN
CAB205014XE (5 AH) CHARGING TIME	150 MIN
CAB208016XE (8 AH) CHARGING TIME	240 MIN

CARICABATTERIE
CAC204003X

BATTERIE COMPATIBILI:

- CAB202013XE
- CAB204014XE
- CAB204015XE
- CAB205014XE
- CAB208016XE



RATED POWER	105 W
OUTPUT VOLTAGE	18 - 20 V MAX.
AMPERAGE AT VOLTAGE 220-230 V	4 A
COMPARISON OF CHARGING TIMES	SEE TABLE PAGE 22
WEIGHT	0,67 KG
CAB202013XE (2 AH) CHARGING TIME	1 BAT: 35 MIN 2 BAT: 75 MIN
CAB204014XE (4 AH) CHARGING TIME	1 BAT: 60 MIN 2 BAT: 135 MIN
CAB204015XE (4 AH) CHARGING TIME	11 BAT: 60 MIN 2 BAT: 135 MIN
CAB205014XE (5 AH) CHARGING TIME	1 BAT: 75 MIN 2 BAT: 160 MIN
CAB208016XE (8 AH) CHARGING TIME	1 BAT: 120 MIN 2 BAT: 250 MIN

USB CHARGER
CAU02X

COMPATIBLES BATTERIES:

- CAB202013XE
- CAB204014XE
- CAB204015XE
- CAB205014XE
- CAB208016XE



OUTPUT VOLTAGE USB1 (TYPE A)	5 V (1 A)
OUTPUT VOLTAGE USB2 (TYPE A)	5 V (1 A)
BATTERY TYPE	LITHIUM-ION
WEIGHT	0,85 KG



STACKABLE CASES SYSTEM

TO TRANSPORT
AND ORGANIZE
YOUR TOOLS

STACKABLE POLYPROPYLENE CASES SYSTEM.
3 DIFFERENT SIZES. CONVENIENT CASE TROLLEY
WITH WHEELS. A WHEELED BASE WITH 100 KG
MAXIMUM LOAD COMPLETES THE ASSORTMENT.



CART WITH STACKABLE CASE CTQ-VRT

28 litri
NOVITÀ

- STACKABLE
- PP MATERIAL
- TELESCOPIC ALUMINUM HANDLE
- 2 RUBBER-COATED WHEELS
- IP54 PROTECTION
- POLYAMIDE SIDE CONNECTORS



ADJUSTABLE HANDLE



CLOSING CLASPS



SAFETY LOCKS



LENGTH INT. / EXT.	30,8 / 45 CM
WIDTH INT. / EXT.	21 / 39 CM
HEIGHT INT. / EXT.	29,6 / 69 CM
WEIGHT	4,9 KG

STACKABLE CASE
CTQ-VM

- STACKABLE
- PP MATERIAL
- ERGONOMIC FRONT AND LID HANDLE
- IP54 PROTECTION
- POLYAMIDE SIDE CONNECTORS



LENGTH INT. / EXT.	36 / 45 CM
WIDTH INT. / EXT.	24,5 / 33 CM
HEIGHT INT. / EXT.	12 / 17 CM
WEIGHT	2,25 KG

12 lt
NEW

STACKABLE CASE
CTQ-VL

- STACKABLE
- PP MATERIAL
- ERGONOMIC FRONT AND LID HANDLE
- IP54 PROTECTION
- POLYAMIDE SIDE CONNECTORS



LENGTH INT. / EXT.	36 / 45 CM
WIDTH INT. / EXT.	24,5 / 33 CM
HEIGHT INT. / EXT.	19 / 24 CM
WEIGHT	2,65 KG

19 lt
NEW



ROLL PLATE FOR STACKABLE CASE
CTQ-PR

- PP MATERIAL
- 360° TURNABLE WHEELS
- 2 LOCKABLE WHEELS
- IP54 PROTECTION
- ALUMINUM BRACKETS




MAX. LOAD	100 KG
LENGTH	50,6 CM
WIDTH	32,5 CM
HEIGHT	14 CM
WEIGHT	2,85 KG

up to 100 kg
NEW

TOOLS BAG
CP-TBT-B-18

- 1680D POLYESTER FABRIC
- BELT CLIP



MERIT LINK

Hardware tools and equipment

| Merit Link International AG

Via Giulia 25/A
CH-6855 Stabio
Switzerland

For more information visit
WWW.CROWN-TOOLS-EU.COM



Distributed by:

